
TerpLife	Certificate of Analysis	
<u> </u>	T402347	A CONTRACT OF A
J&M Manufacturing LLC 700 Stevens Ave, Suite A Oldsmar, FL 34677 Hemp R&D		
Full Spectrum CBD Oil Tincture 1500mg 30ml Sample ID: T402347-01 CCB ID:JMFSOT1500 Matrix: Derivative Non-inhalable	Total Sample Received: 30g Total Units Received: 1 Unit Weight: 30g	Date Sampled: 02/14/2024 Date Received: 02/14/2024 Date Reported: 02/17/2024

Potency Summary



Cannabinoids

Date Prepared: 02/15/2024 14:26 Prep ID: 4599 Date Analyzed: 02/15/2024 17:14 Analyst ID: 754 Lab Batch: 2407089 2407089 2407089 2407089	Specimen Wt: 0.103 g Instrument: HPLC VWD Prep/Analysis Method: SOP		1357	
Analyte	Dilution	Results	mg/Piece	mg/Unit
		%	mg	mg
Cannabichromene (CBC)	1	ND	N/A	ND
Cannabidiol (CBD)	10	5.61	N/A	1,683
Cannabidiolic acid (CBDA)	1	ND	N/A	ND
Cannabidivarin (CBDV)	1	ND	N/A	ND
Cannabigerol (CBG)	1	ND	N/A	ND
Cannabigerolic acid (CBGA)	1	ND	N/A	ND
Cannabinol (CBN)	1	ND	N/A	ND
d8 - Tetrahydrocannabinoid (d8-THC)	1	ND	N/A	ND
d9 - Tetrahydrocannabinoid (d9-THC)	1	ND	N/A	ND
d9 - Tetrahydrocannabinolic acid (THCA)	1	ND	N/A	ND
Tetrahydrocannabivarin (THCV)	1	ND	N/A	ND
Total THC		0.0000	0.000	0.000
Total CBD		5.61	0.000	1,683
Total Cannabinoids		5.61	0.000	1,683
Total THC= THCa * 0.877 + d9-THC. Total CBD= CBDa * 0.877 + CBD.				

Iolai Ince Ince Ince 10.07 + doi:10.1001/0004/00.07 + CoD. mg/linit = linit liquight g⁺ Total THC/CBD mg/g LOD = Limit of Detection; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory

TerpLife Labs

10350 Fisher Ave, Tampa, Florida 33619 813-726-3103 / www.terplifelabs.com

Bustan



Brian C. Spann Laboratory Director

The data contained therein are based on sound scientific analytical procedures and judgment. Terplife Labs strives to deliver high quality results. This report shall not be reproduced without written consent from TerpLife Labs. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

1 of 1